



ELSEVIER

Analytica Chimica Acta 317 (1995) 371-373

ANALYTICA
CHIMICA
ACTA

Author Index

- Abrego, C., see Marengo, E. 53
Adams, F., see Ma, R. 215
Adams, F.C., see Ceulemans, M. 161
Alañón Molina, A., see Murillo Pulgarín, J.A. 359
Alder, J.F., see Benmakroha, F. 281
Alwarthan, A.A.
Chemiluminescent determination of tryptophan in a flow injection system 233
Andrade, J.M., see Garrigues, S. 95
Ang, K.C., see Huang, Y.L. 223
Arias, J.J., see García, J.M. 83
Arnold, M.A., see Li, L. 265
Avignone, M.T., see Marengo, E. 53

Baeza-Baeza, J.J., see Xie, Y.-L. 17
Barbosa, J.
—, Barrón, D., Beltrán, J.L. and Sanz-Nebot, V.
PKPOT, a program for the potentiometric study of ionic equilibria in aqueous and non-aqueous media 75
Barrón, D., see Barbosa, J. 75
Bauerle, Jr., G.F.
—, Ray, K.L. and Brodbelt, J.S.
Determination of pyrethroid insecticides by ion trap GC-MS-MS 137
Beltrán, J.L., see Barbosa, J. 75
Benedini Martelli, P.
—, Gomes Neto, J.A., Zagatto, E.A.G., Boscolo Brienza, S.M., Montenegro, M.C.B.S.M. and Costa Lima, J.L.F.
Sequential analyte removal in flow analysis: determination of nitrogen, phosphorus and potassium in fertilizers 239
Benegas, J.C., see Van den Hoop, M.A.G.T. 327
Benmakroha, F.
— and Alder, J.F.
Toward development of a humidity correction algorithm for surface acoustic wave sensors. Part 3. Water, nitrobenzene and 2-nitrotoluene adsorption on platinum/lead coated piezoelectric sensors 281
Besombes, J.-L.
—, Cosnier, S., Labbé, P. and Reverdy, G.
Improvement of the analytical characteristics of an enzyme electrode for free and total cholesterol via laponite clay additives 275
Bond, A.M., see Downard, A.J. 303
Bondarenko, I., see Treiger, B. 33
Boscolo Brienza, S.M., see Benedini Martelli, P. 239
Brodbelt, J.S., see Bauerle, Jr., G.F. 137
Burg, Ph.
—, Selves, J.-L. and Colin, J.P.
Numerical simulation of crude oil behaviour from chromatographic data 107
Buydens, L., see Wienke, D. 1

Cammann, K., see Wienke, D. 1
Cañizares, P.
— and Luque de Castro, M.D.
On-line coupling of isolation/in situ concentration integrated with derivative synchronous spectrofluorimetry for the simultaneous determination of epinephrine and norepinephrine in urine 335
Carpenter, N.G.
— and Pletcher, D.
Amperometric method for the determination of nitrate in water 287
Carvalho, L.R.F.
—, Souza, S.R., Martinis, B.S. and Korn, M.
Monitoring of the ultrasonic irradiation effect on the extraction of airborne particulate matter by ion chromatography 171
Cazallas, R.
—, Fernández, L.A. and De Diego, A.
Automated conductometry: robotic station for analytical titrations 127
Ceulemans, M.
— and Adams, F.C.
Evaluation of sample preparation methods for organotin speciation analysis in sediments — focus on monobutyltin extraction 161
Ci, Y.-X., see Li, H.-N. 353
Cini, R., see Lepri, L. 149
Coen, S., see Vieillescazes, C. 65
Colin, J.P., see Burg, Ph. 107
Cosnier, S., see Besombes, J.-L. 275
Costa Lima, J.L.F., see Benedini Martelli, P. 239

De Diego, A., see Cazallas, R. 127
De la Guardia, M., see Garrigues, S. 95
Desideri, P., see Lepri, L. 149
Downard, A.J.
—, Roddick, A.D. and Bond, A.M.
Covalent modification of carbon electrodes for voltammetric differentiation of dopamine and ascorbic acid 303

- Farran, A.
— and Ruiz, S.
Effect of aliphatic alcohols as mobile phase modifiers on separation of phenylurea and phenoxyalkyl acid herbicides by micellar electrokinetic capillary chromatography 181
- Feldhoff, R., see Wienke, D. 1
- Fernández, L.A., see Cazallas, R. 127
- Foellmer, T.J., see Huang, Y.L. 223
- Fuentes de Frutos, J.E., see Sanchez Perez, A. 319
- Fukushima, M.
—, Nakayasu, K., Tanaka, S. and Nakamura, H.
Chromium(III) binding abilities of humic acids 195
- García, J.M.
—, Hernández, O., Jiménez, A.I., Jiménez, F. and Arias, J.J.
A contribution to the derivative ratio spectrum method 83
- Garrigues, S.
—, Andrade, J.M., De la Guardia, M. and Prada, D.
Multivariate calibrations in Fourier transform infrared spectrometry for prediction of kerosene properties 95
- Gennaro, M.C., see Marengo, E. 53
- Georges, J.
Investigation of fluorescence efficiency in the europium-thenoyltrifluoroacetone chelate in aqueous and ethanolic solutions by laser-induced fluorescence and photothermal spectroscopic methods 343
- Giacosa, D., see Marengo, E. 53
- Gomes Neto, J.A., see Benedini Martelli, P. 239
- Hernández, O., see García, J.M. 83
- Hitzmann, B., see Van Putten, A.B. 247
- Huang, Y.L.
—, Foellmer, T.J., Ang, K.C., Khoo, S.B. and Yap, M.G.S.
Characterization and application of an on-line flow injection analysis/wall-jet electrode system for glucose monitoring during fermentation 223
- Huth-Fehre, T., see Wienke, D. 1
- Jankowski, K.
Determination of small amounts of palladium in wastes from reworking of spent catalysts by microwave induced plasma atomic emission spectrometry 365
- Jiménez, A.I., see García, J.M. 83
- Jiménez, F., see García, J.M. 83
- Kantimm, T., see Wienke, D. 1
- Khoo, S.B., see Huang, Y.L. 223
- Korn, M., see Carvalho, L.R.F. 171
- Kretzmer, G., see Van Putten, A.B. 247
- Labbé, P., see Besombes, J.-L. 275
- Larice, J.-L., see Vieillescazes, C. 65
- Lepri, L.
—, Desideri, P., Cini, R., Masi, F. and Van Erk, M.S.
Transport of organochlorine pesticides across the air/sea interface during the aerosol process 149
- Lerch, T., see Menzel, C. 259
- Li, H.-N.
— and Ci, Y.-X.
A new rapid fluorimetric method for the determination of carbonic anhydrase 353
- Li, L.
— and Arnold, M.A.
General model for the steady-state response properties of fiber-optic ammonia gas sensors 265
- Luque de Castro, M.D., see Cañizares, P. 335
- Ma, R.
— and Adams, F.
Flow injection sorbent extraction with dialkylthiophosphates as chelating agent for nickel, cobalt and manganese determination by atomic absorption spectrometry 215
- Marcano, L., see Tahán, J.E. 311
- Marengo, E.
—, Gennaro, M.C., Giacosa, D., Abrigo, C., Saini, G. and Avignone, M.T.
How chemometrics can helpfully assist in evaluating environmental data. Lagoon water 53
- Martinis, B.S., see Carvalho, L.R.F. 171
- Masi, F., see Lepri, L. 149
- Matsuoka, S.
—, Yoshimura, K. and Tateda, A.
Application of ion-exchanger phase visible light absorption to flow analysis. Determination of vanadium in natural water and rock 207
- McClean, S., see Oxspring, D.A. 295
- Meissen, W., see Wienke, D. 1
- Menzel, C.
—, Lerch, T., Scheper, T. and Schügerl, K.
Development of biosensors based on an electrolyte isolator semiconductor (EIS)-capacitor structure and their application for process monitoring. Part I. Development of the biosensors and their characterization 259
- Montenegro, M.C.B.S.M., see Benedini Martelli, P. 239
- Murillo Pulgarín, J.A.
— and Alañón Molina, A.
Direct determination of quinidine in urine 359
- Nakamura, H., see Fukushima, M. 195
- Nakayasu, K., see Fukushima, M. 195
- O'Kane, E., see Oxspring, D.A. 295
- Oxspring, D.A.
—, McClean, S., O'Kane, E. and Smyth, W.F.
Study of the chelation of boron with Azomethine H by differential pulse polarography, liquid chromatography and capillary electrophoresis and its analytical applications 295
- Pletcher, D., see Carpenter, N.G. 287
- Prada, D., see Garrigues, S. 95
- Quick, L., see Wienke, D. 1
- Ramis-Ramos, G., see Xie, Y.-L. 17
- Ray, K.L., see Bauerle, Jr., G.F. 137

- Reverdy, G., see Besombes, J.-L. 275
- Roddick, A.D., see Downard, A.J. 303
- Romero, R.A., see Tahán, J.E. 311
- Ruiz, S., see Farran, A. 181
- Saini, G., see Marengo, E. 53
- Sanchez Perez, A.
 - and Fuentes de Frutos, J.E.
 - Study of the catalytic polarographic reduction of Ni(II) in the presence of albumin, immunoglobulins and serum proteins. Determination of total proteins in serum 319
- Sanz-Nebot, V., see Barbosa, J. 75
- Scheper, T., see Menzel, C. 259
- Schügerl, K., see Menzel, C. 259
- Schügerl, K., see Van Putten, A.B. 247
- Schwedt, G., see Tian, S. 189
- Selves, J.-L., see Burg, Ph. 107
- Smyth, W.F., see Oxspring, D.A. 295
- Souza, S.R., see Carvalho, L.R.F. 171
- Spitzenberger, F., see Van Putten, A.B. 247
- Tahán, J.E.
 - , Marcano, L. and Romero, R.A.
 - Anodic stripping voltammetric determination of total lead in anencephalic fetuses after pressure/temperature-controlled microwave mineralization 311
- Tanaka, S., see Fukushima, M. 195
- Tateda, A., see Matsuoka, S. 207
- Tian, S.
 - and Schwedt, G.
 - A ternary complex system for the reversed-phase chromatography of chromate 189
- Treiger, B.
 - , Bondarenko, I., Van Malderen, H. and Van Grieken, R.
 - Elucidating the composition of atmospheric aerosols through the combined hierarchical, non-hierarchical and fuzzy clustering of large electron probe microanalysis data sets 33
- Van den Broek, W., see Wienke, D. 1
- Van den Hoop, M.A.G.T.
 - , Benegas, J.C. and Van Leeuwen, H.P.
 - Stripping voltammetry of heavy metal/polyelectrolyte complexes. Part 2. Analysis in terms of polyelectrolyte theory 327
- Van Erk, M.S., see Lepri, L. 149
- Van Grieken, R., see Treiger, B. 33
- Van Leeuwen, H.P., see Van den Hoop, M.A.G.T. 327
- Van Malderen, H., see Treiger, B. 33
- Van Putten, A.B.
 - , Spitzenberger, F., Kretzmer, G., Hitzmann, B. and Schügerl, K.
 - On-line and off-line monitoring of the production of alkaline serine protease by *Bacillus licheniformis* 247
- Vieillescazes, C.
 - , Larice, J.-L. and Coen, S.
 - Ancient resinous substances characterisation, an approach by principal component analysis 65
- Wienke, D.
 - , Van den Broek, W., Melssen, W., Buydens, L., Feldhoff, R., Kantimm, T., Huth-Fehre, T., Quick, L., Winter, F. and Cammann, K.
 - Comparison of an adaptive resonance theory based neural network (ART-2a) against other classifiers for rapid sorting of post consumer plastics by remote near-infrared spectroscopic sensing using an InGaAs diode array 1
- Winter, F., see Wienke, D. 1
- Xie, Y.-L.
 - , Baeza-Baeza, J.J. and Ramis-Ramos, G.
 - Assessment of peak purity in liquid chromatography using condition index and singular value evolving profiles 17
- Yap, M.G.S., see Huang, Y.L. 223
- Yoshimura, K., see Matsuoka, S. 207
- Zagatto, E.A.G., see Benedini Martelli, P. 239